

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

### 1 Identification

#### Product identifier

Trade name: **Eclipse Floor 200**

SDS ID Number: 12939

#### Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

#### Identified uses advised against:

#### Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

GCP Applied Technologies  
2325 Lakeview Pkwy  
Alpharetta GA 30009 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

##### Information department:

Environmental Health & Safety:

USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

**Transport Emergency:** Chemtrec: +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

#### Classification of the substance or mixture



Health hazard

Suspected of damaging fertility or the unborn child.



Causes skin irritation.

Causes serious eye irritation.

**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)

(Cont. on page 2)

USGHS

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 1)

## Hazard pictograms



## Warning

## Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

## Precautionary statements

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Hazard description:

## NFPA ratings (scale 0 - 4)



Health = 2

Fire = 1

Reactivity = 0

## HMIS-ratings (scale 0 - 4)



Health = 2

Flammability = 1

Reactivity = 0

## Other hazards

## Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

## Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

## Hazardous components:

107-41-5	2-methylpentane-2,4-diol	90-100%
----------	--------------------------	---------

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

USGHS

(Cont. on page 3)

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 2)

**4 First-aid measures****Description of first aid measures**

**General information:** Get medical advice/attention if you feel unwell.

**After inhalation:**

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

**After eye contact:** Rinse cautiously with water for several minutes.

**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** Irritating to eyes.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Special hazards arising from the substance or mixture**

Combustion products can include toxic gases such as carbon monoxide and smoke.

**Advice for firefighters**

**Protective equipment:** Wear personal protective equipment.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**Methods and material for containment and cleaning up:**

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USGHS

(Cont. on page 4)

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 3)

**7 Handling and storage****Handling:****Precautions for safe handling**

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

**Information about protection against explosions and fires:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Information about storage in one common storage facility:** Keep respirator available.**Further information about storage conditions:** Keep receptacle tightly sealed.**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:** No further data; see section 7.**Control parameters****Components with limit values that require monitoring at the workplace:****107-41-5 2-methylpentane-2,4-diol**

EL (Canada)	Ceiling limit value: 25 ppm
EV (Canada)	Ceiling limit value: 120 mg/m <sup>3</sup> , 25 ppm
REL (USA)	Ceiling limit value: 125 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Short-term value: 10** mg/m <sup>3</sup> , 50* ppm Long-term value: 25* ppm *vapor **inh. fraction, aerosol only

**Additional information:**

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

(Cont. on page 5)

USGHS

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 4)

**Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Material of gloves** Rubber or other impervious gloves should be worn to prevent skin contact.**Eye protection:**

Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless to light yellow
<b>Odor:</b>	Mild sweet odor
<b>Odor threshold:</b>	Not applicable.

<b>pH-value (~):</b>	Not determined.
----------------------	-----------------

**Change in condition**

<b>Melting point/Melting range:</b>	-50 °C (-58 °F)
<b>Boiling point/Boiling range:</b>	Undetermined.
<b>Flash point:</b>	Not applicable.

<b>Flammability (solid, gaseous):</b>	Not applicable.
---------------------------------------	-----------------

<b>Auto igniting:</b>	260 °C (500 °F)
-----------------------	-----------------

<b>Decomposition temperature:</b>	Not applicable under normal storage conditions.
<b>Ignition temperature:</b>	Not determined.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Lower:</b>	1 Vol %
Not determined.	
<b>Upper:</b>	9.9 Vol %

<b>Vapor pressure at 20 °C (68 °F):</b>	0.065 hPa (0 mm Hg)
<b>Density: (~) at 20 °C (68 °F)</b>	1 g/cm <sup>3</sup> (8.3 lbs/gal)
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**Solubility in / Miscibility with**

<b>Water:</b>	Not miscible or difficult to mix.
---------------	-----------------------------------

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 5)

**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:**

Not determined.

**Kinematic:**

Not determined.

**Molecular weight**

118.18 g/mol

Not determined.

**Other information**

No further relevant information available.

**10 Stability and reactivity****Reactivity**

Stable under normal conditions.

No further relevant information available.

**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions**

No dangerous reactions known.

No further relevant information available.

**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****Primary irritant effect:****on the skin:** Causes skin irritation.**on the eye:** Causes serious eye irritation.**inhalation:** No irritating effect expected**Additional toxicological information:**

Suspected of damaging fertility or the unborn child.

Glycols contained in this product have been associated with the following effects: birth defects and liver and kidney damage. Excessive exposure can cause headache, weakness, confusion, dizziness, staggering, slurred speech, loss of coordination, faintness, vomiting, increased heart rate, decreased blood pressure, difficulty breathing and seeing, pulmonary edema, unconsciousness, convulsions, collapse and coma.

**Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:****Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

None of the ingredients are listed.

(Cont. on page 7)

USGHS

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 6)

**NTP (National Toxicology Program)****K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**14 Transport information****UN-Number****DOT, IMDG, IATA**

Not applicable.

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 7)

**UN proper shipping name**

DOT, IMDG, IATA Not applicable.

**Transport hazard class(es)**

DOT, IMDG, IATA

Class Not applicable.

**Packing group**

DOT, IMDG, IATA Not applicable.

**Environmental hazards:** Not applicable.**Special precautions for user** Not applicable.**Transport/Additional information:**

DOT

**Remarks:** Not Regulated.**UN "Model Regulation":** Not applicable.**15 Regulatory information****Other regulations in domestic and foreign countries****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:**

Health Hazard - Reproductive toxicity

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**California Proposition 65: (Substances <0.1% unless noted in Section 3)****Chemicals known to cause cancer:**

Ethylene oxide

propylene oxide

**Chemicals known to cause reproductive toxicity for females:**

75-21-8 Ethylene oxide

**Chemicals known to cause reproductive toxicity for males:**

75-21-8 Ethylene oxide

**Chemicals known to cause developmental toxicity:**

75-21-8 Ethylene oxide

(Cont. on page 9)



## Safety Data Sheet

Printing date 09/19/2024

Version Number 1.0

Reviewed on 09/19/2024

Trade name: **Eclipse Floor 200**

(Cont. from page 8)

**Carcinogenicity Categories****TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients are listed.

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**Volatile Organic Compounds (VOC) reported per the Emission Standards.**

If no g/L value is provided this product is not subject to above standard.

**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

GCP Applied Technologies

2325 Lakeview Pkwy

Alpharetta GA, 30009 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

**The first date of preparation** 09/05/2024**Number of revision times and the latest revision date** 1.0 / 09/19/2024

USGHS